

Forum diabetologicum 2014; 3

Register klíčových slov

| klíčové slovo | (číslo): strany | klíčové slovo | (číslo): strany |
|--|------------------------|--|------------------------|
| antikoncepcia | (2): 83–86 | kardiovaskulárny rizikový faktor | (1): 20–27 |
| cirhóza pečene | (3): 149–153 | kvalita kosti | (3): 129–134 |
| Cushingův syndrom | (3): 123–127 | malformácie | (2): 87–92 |
| diabetes | (2): 87–92 | materská morbidita | (2): 83–86 |
| | (2): 97–100 | metabolická pamäť | (1): 6–18 |
| diabetes mellitus | (1): 34–39 | metabolické poruchy | (3): 123–127 |
| | (1): 40–45 | metabolický syndróm | (3): 143–148 |
| | (2): 74–82 | metformín | (3): 155–161 |
| | (2): 83–86 | nárast hmotnosti | (1): 6–18 |
| | (2): 93–96 | nediabetické príčiny hypoglykémie | (1): 34–39 |
| | (3): 123–127 | non-B-bunkové nádory | (1): 28–33 |
| | (3): 129–134 | oGTT | (2): 67–73 |
| | (3): 135–141 | orálny glukózový tolerančný test | (2): 67–73 |
| diabetes mellitus 2. typu | (1): 6–18 | osteoporóza | (3): 129–134 |
| | (1): 20–27 | patogeneze | (3): 123–127 |
| | (3): 155–161 | pečeň | (3): 149–153 |
| diabetická ketoacidóza | (1): 40–45 | perinatálna morbidita | (2): 83–86 |
| dieťa diabetickej matky | (2): 97–100 | | (2): 93–96 |
| fraktúry | (3): 129–134 | perinatálna starostlivosť | (2): 93–96 |
| GDM | (2): 67–73 | perorálne antidiabetiká | (3): 155–161 |
| gestačný diabetes mellitus | (2): 67–73 | pôrod | (2): 93–96 |
| glykemická kontrola | (1): 6–18 | prekoncepčná príprava | (2): 83–86 |
| | (2): 74–82 | prevalencia | (1): 34–39 |
| gravidita | (2): 83–86 | skrining | (2): 74–82 |
| | (2): 93–96 | steatohepatitída | (3): 149–153 |
| HbA _{1c} | (1): 6–18 | steatóza pečene | (3): 149–153 |
| hepatocelulárny karcinóm | (3): 149–153 | studie hyperglycemia and adverse pregnancy outcomes (HAPO) | (2): 67–73 |
| hyperglykemický hyperosmolárny syndróm | (1): 40–45 | syndróm polycystických ovárií | (3): 143–148 |
| hypoglykémia | (1): 6–18 | tehotnosť | (2): 74–82 |
| | (1): 20–27 | | (2): 87–92 |
| | (1): 28–33 | tyreopatie | (3): 135–141 |
| | (1): 34–39 | ultrasonografická diagnostika | (2): 87–92 |
| | (2): 97–100 | vildagliptín | (3): 155–161 |
| chronické zlyhanie pečene | (3): 149–153 | vitamín D | (3): 143–148 |
| IGF2 | (1): 28–33 | vzájomná súvislosť | (3): 135–141 |
| inzulínová rezistencia | (3): 143–148 | zmiešaná porucha | (1): 40–45 |
| inzulínu podobný rastový faktor 2 | (1): 28–33 | | |

Forum diabetologicum 2014; 3

Index of key words

| key word | (issue): pages | key word | (issue): pages |
|--------------------------------------|-----------------------|--------------------------------------|-----------------------|
| birth care | (2): 93–96 | liver cirrhosis | (3): 149–153 |
| bone quality | (3): 129–134 | liver steatosis | (3): 149–153 |
| cardiovascular risk factor | (1): 20–27 | malformations | (2): 87–92 |
| combined disorder | (1): 40–45 | maternal morbidity | (2): 83–86 |
| contraception | (2): 83–86 | metabolic disorders | (3): 123–127 |
| Cushings's syndrome | (3): 123–127 | metabolic memory | (1): 6–18 |
| diabetes | (2): 87–92 | metabolic syndrome | (3): 143–148 |
| | (2): 97–100 | metformin | (3): 155–161 |
| | (3): 123–127 | mutual relationship | (3): 135–141 |
| diabetes mellitus | (1): 34–39 | non-beta-cells tumours | (1): 28–33 |
| | (1): 40–45 | nondiabetic reasons of hypoglycaemia | (1): 34–39 |
| | (2): 74–82 | oGTT | (2): 67–73 |
| | (2): 83–86 | oral antidiabetic drugs | (3): 155–161 |
| | (2): 93–96 | oral glucose tolerant test | (2): 67–73 |
| | (3): 129–134 | osteoporosis | (3): 129–134 |
| | (3): 135–141 | pathogenesis | (3): 123–127 |
| diabetes mellitus 2. type | (3): 155–161 | perinatal care | (2): 93–96 |
| diabetic ketoacidosis | (1): 40–45 | perinatal morbidity | (2): 83–86 |
| end-stage liver disease | (3): 149–153 | | (2): 93–96 |
| fractures | (3): 129–134 | polycystic ovarian syndrome | (3): 143–148 |
| GDM | (2): 67–73 | preconception care | (2): 83–86 |
| gestational diabetes | (2): 67–73 | pregnancy | (2): 74–82 |
| glucose control | (1): 6–18 | | (2): 83–86 |
| glycemic control | (2): 74–82 | | (2): 87–92 |
| HbA _{1c} | (1): 6–18 | | (2): 93–96 |
| hepatocellular carcinoma | (3): 149–153 | prevalence | (1): 34–39 |
| hyperglycaemic hyperosmolar syndrome | (1): 40–45 | screening | (2): 74–82 |
| hypoglycaemia | (1): 6–18 | steatohepatitis | (3): 149–153 |
| | (1): 20–27 | study Hyperglycemia and adverse | |
| | (1): 28–33 | pregnancy outcomes (HAPO) | (2): 67–73 |
| | (1): 34–39 | thyreopathies | (3): 135–141 |
| | (2): 97–100 | type 2 diabetes mellitus | (1): 6–18 |
| child of diabetic mother | (2): 97–100 | | (1): 20–27 |
| IGF2 | (1): 28–33 | ultrasound diagnostics | (2): 87–92 |
| insulin like growth factor 2 | (1): 28–33 | vildagliptin | (3): 155–161 |
| insulin resistance | (3): 143–148 | vitamin D | (3): 143–148 |
| liver | (3): 149–153 | weight gain | (1): 6–18 |

Forum diabetologicum 2014; 3

Register autorov

| autor | (číslo): strany | autor | (číslo): strany |
|-------------|-----------------|----------------|-----------------|
| Anderlová K | (2): 67–73 | Martinka M | (2): 65–66 |
| Blüher M | (1): 6–18 | | (2): 74–82 |
| Bucková D | (3): 155–161 | | (2): 87–92 |
| Bukovská A | (1): 48 | | (2): 102–103 |
| | (2): 101 | | (2): 104–114 |
| | (3): 167 | Mokáň M | (1): 5 |
| Danko J | (2): 87–92 | | (1): 20–27 |
| Daruřlová S | (1): 40–45 | | (1): 28–33 |
| Dókuš K | (2): 74–82 | | (1): 34–39 |
| | (2): 87–92 | | (1): 40–45 |
| Dókuřová S | (2): 74–82 | Mokáň M, jr | (1): 34–39 |
| | (2): 87–92 | Murín J | (3): 165–166 |
| | (2): 102–103 | Némethyová Z | (1): 49–50 |
| Dravecká I | (3): 143–148 | Niřňanská Z | (2): 83–86 |
| Féderová L | (2): 83–86 | | (2): 93–96 |
| | (2): 93–96 | Payer J | (3): 119–120 |
| Figurová J | (3): 143–148 | | (3): 129–134 |
| Galajda P | (1): 20–27 | Petrářová D | (3): 143–148 |
| | (1): 28–33 | Petríková J | (3): 143–148 |
| | (1): 34–39 | Rařlová K | (3): 155–161 |
| | (1): 40–45 | Rončáková M | (2): 74–82 |
| Haluzík M | (2): 67–73 | Samoř M | (1): 34–39 |
| Jackuliak P | (3): 129–134 | Schroner Z | (3): 135–141 |
| | (3): 162–163 | Stančík M | (1): 34–39 |
| Javorský M | (3): 143–148 | | (1): 40–45 |
| Koller T | (3): 149–153 | Štefaničková J | (1): 51–53 |
| Korbel M | (2): 83–86 | Števánková I | (1): 51–53 |
| | (2): 93–96 | Uhríková Z | (2): 97–100 |
| Krásnik V | (1): 51–53 | Uličiansky V | (1): 46–47 |
| Krejčí H | (2): 67–73 | | (3): 135–141 |
| Krivuš J | (1): 40–45 | Valářková J | (1): 51–53 |
| Krřek M | (3): 123–127 | Vrablík M | (1): 55 |
| Lazúrová I | (3): 143–148 | Zibolen M | (2): 97–100 |